


APO-DIGITAR 4/60

H


MODULATION als Funktion der relativen Bildgröße

Wellenlänge $\lambda$	[nm]	520	670	620	570	470	420
Spektrale Gewichtung [%]		19.0	10.0	19.0	19.0	19.0	14.0
Ortsfrequenz R	[1/mm]	20	40	60			
Format	[mm X mm]	30.0	X	30.0			
Diagonale $2u'$	[mm]	60.0					


radial —  
 tangential - -



$f' = 59.9$   $k = 4.0$   $1/\beta' = -20.00$   $00' = 1319.$      $f' = 59.9$   $k = 8.0$   $1/\beta' = -20.00$   $00' = 1319.$      $f' = 59.9$   $k = 11.0$   $1/\beta' = -20.00$   $00' = 1319.$



$f' = 59.9$   $k = 4.0$   $1/\beta' = -10.00$   $00' = 723.$      $f' = 59.9$   $k = 8.0$   $1/\beta' = -10.00$   $00' = 723.$      $f' = 59.9$   $k = 11.0$   $1/\beta' = -10.00$   $00' = 723.$



$f' = 59.9$   $k = 4.0$   $1/\beta' = -3.00$   $00' = 318.$      $f' = 59.9$   $k = 8.0$   $1/\beta' = -3.00$   $00' = 318.$      $f' = 59.9$   $k = 11.0$   $1/\beta' = -3.00$   $00' = 318.$

Fokussierung  $MTF_{max}$  bei  $k = 4.0$  ,  $R = 60$  1/mm.  $u'/u'_{max} = 0$