


**SUPER-SYMMAR XL 4.5/80 ASPH.**


**MODULATION** als Funktion der relativen Bildgröße

Wellenlänge $\lambda$ [nm] :	546	644	588	480	436	405
Spektrale Gewichtung [%] :	24.6	18.6	22.1	12.4	15.2	7.1
Ortsfrequenz $R$ [1/mm] :	5	10	20			
Format [mm X mm] :	90.0	X120.0				
Diagonale $2u'$ [mm] :	212.0					


radial —  
tangential - -



$f' = 81.0$   $k = 4.5$   $1/b' = \infty$   $00' = \infty$      $f' = 81.0$   $k = 8.0$   $1/b' = \infty$   $00' = \infty$      $f' = 81.0$   $k = 22.0$   $1/b' = \infty$   $00' = \infty$



$f' = 81.0$   $k = 4.5$   $1/b' = -10.00$   $00' = 994$ .     $f' = 81.0$   $k = 8.0$   $1/b' = -10.00$   $00' = 994$ .     $f' = 81.0$   $k = 22.0$   $1/b' = -10.00$   $00' = 994$ .



$f' = 81.0$   $k = 4.5$   $1/b' = -5.00$   $00' = 597$ .     $f' = 81.0$   $k = 8.0$   $1/b' = -5.00$   $00' = 597$ .     $f' = 81.0$   $k = 22.0$   $1/b' = -5.00$   $00' = 597$ .

Fokussierung  $MTF_{max}$  bei  $k = 5.6$  ,  $R = 20$  1/mm.  $u'/u'_{max} = 0$

46945 80600    Gedruckt in der Bundesrepublik Deutschland