



CL 2.0/35.0

f'	= 35.1 mm	β_p	= 1.965
s_F	= 6.7 mm	s_{EP}	= 24.5 mm
$s_{F'}$	= 32.6 mm	s_{AP}	= -36.3 mm
HH'	= 31.9 mm	Σd	= 76.1 mm




RELATIVE ILLUMINATION

The relative illumination is shown for the given focal distances or magnifications.

$$f / 2.0$$


$$\beta' = 0.0000 \quad u'_{max} = 13.6 \quad \infty' = \infty$$



DISTORTION

Distortion is shown for the given focal distances or magnifications. Positive values indicate pincushion distortion and negative values barrel distortion.

$$\beta' = 0.0000 \quad u'_{max} = 13.9 \quad \infty' = \infty$$



TRANSMITTANCE


Relative spectral transmittance is shown with reference to wavelength.

CL 2.0/35.0

MODULATION with reference to the relative image height

Wavelength λ	[nm]	546	644	610	570	510	480
Spectral weighting	[%]	28.3	4.5	17.8	29.4	16.0	4.0
Spatial frequency R	[1/mm]	20	40	80			
Format	[mm X mm]	18.0	X	21.3			
Diagonal $2u'$	[mm]	27.7					

radial ———
 tangential - - -



Focusing : MTF_{max} at $f / 2.0$, $R = 80$ 1/mm, $u'/u'_{max} = 0$